

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12294	(co adj processor\$4 coprocessor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:36
L2	1	718/102-105.ccls. and 709/238-244.ccls. and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:36
L3	12294	(co adj processor\$4 coprocessor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:37
L4	1	determin\$6 near10 (route routes circuit\$1 path\$1) near10 (qualit\$4 near10 servic\$4 Qos)and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:37
L5	12294	(co adj processor\$4 coprocessor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:37
L6	10	topolog\$4 with L5 and @ad<"20011109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:37
L7	61	optimiz\$6 near10 user\$1 near10 (choos\$4 select\$4) and "716".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:37
L8	3	(user\$4 client\$1) near10 select\$4 near10 simulat\$4 near5 annealing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:38
L9	837	709/238-244.ccls. and 370/351-430.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:38
L10	0	"complete search" same simulat\$6 near5 anneal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:38

L11	9	"709"/223-226.ccls. and annealing near10 optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:39
L12	25	select\$4 near10 optimiz\$6 near10 user\$1 and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:40
L13	138	user\$1 near10 select\$4 near10 (genetic simulated adj annealing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:01
L14	2	method\$4 near10 optimiz\$6 near10 user\$1 near10 (choos\$4 select\$4) and "716".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:01



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

map* <sentence> (resource* server* processor*) <sentence>



Nothing Found

Your search for **map* <sentence> (resource* server* processor*) <sentence> (applicat* program*)** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Thu, 1 Dec 2005, 3:27:14 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
<u>#1</u>	(((map* <sentence> (resource* server* processor*) <sentence> (applicat* program*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	0
<u>#2</u>	(((allocat* <sentence> (resource* server* processor*) <sentence> (applicat* program*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	0
<u>#3</u>	(((allocat* <paragraph> (resource* server* processor*) <paragraph> (applicat* program*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	0
<u>#4</u>	(((map* <paragraph> (resource* server* processor*) <paragraph> (applicat* program*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	0
<u>#5</u>	(((optimiz* <paragraph> (allocat*) <paragraph> (applicat* program*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	4

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved